

Notice of Authorization
Under Vermont Construction General Permit 3-9020
For Moderate Risk Projects

**Permittee Directions for Posting:**

This notice shall be placed near the construction entrance at a location visible to the public. If displaying near the main entrance is infeasible, the notice shall be posted in a local public building such as the town hall or public library. For linear projects, the notice shall be posted at a publicly accessible location near the active part of the construction project (e.g., where a pipeline project crosses a public road).

Project Name:	Brandon NH 019-3(496) Route 7 Roadway Project
Permittee Name(s):	Town of Brandon
NOI Number:	4164-9020
Date of Authorization:	12/5/2016
Date of Expiration:	12/5/2021

The project listed above has received authorization under General Permit 3-9020 to discharge stormwater from the following construction activities:

removal and disposal of the concrete road, widening and full depth reconstruction of US Route 7, reconstruction of side roads, sidewalks, construction of parking areas, grading, drainage, water, sewer, relocation of aerial and underground utilities, paving, traffic signals, signs, pavement markings and other highway related items.

This authorization includes the following requirements:

- Implementation of the authorized site-specific Erosion Prevention and Sediment Control Plan as prepared by: EIV Technical Services; (Sheet 1, "Title Sheet", dated 10/04/2016; Sheet 189, "Erosion Prevention & Sediment Control Narrative", dated 11/03/2016; Sheet 190, "Erosion Prevention & Sediment Control Narrative", dated 11/03/2016; Sheet 191, "Erosion Prevention & Sediment Control Details", dated 11/03/2016; Sheet 192, "Erosion Prevention & Sediment Control Details", dated 11/03/2016; Sheet 193, "Erosion Prevention & Sediment Control Details", dated 11/03/2016; Sheet 194, "Erosion Prevention & Sediment Control Details", dated 11/03/2016; Sheet 195, "Erosion Prevention & Sediment Control Plan 1", dated 11/03/2016; Sheet 196, "Erosion Prevention & Sediment Control Plan 2", dated 11/03/2016; Sheet 197, "Erosion Prevention & Sediment Control Plan 3", dated 11/03/2016; Sheet 198, "Erosion Prevention & Sediment Control Plan 4", dated 11/03/2016; Sheet 199, "Erosion Prevention & Sediment Control Plan 5", dated 11/03/2016; Sheet 200, "Erosion Prevention & Sediment Control Plan 6", dated 11/03/2016; Sheet 201, "Erosion Prevention & Sediment Control Plan 7", dated 11/03/2016; Sheet 202, "Erosion Prevention & Sediment Control Plan 8", dated 11/03/2016; Sheet 203, "Erosion Prevention & Sediment Control Plan 8B", dated 11/03/2016; Sheet 204, "Erosion Prevention & Sediment Control Plan 9", dated 11/03/2016; Sheet 205, "Erosion Prevention & Sediment Control Plan 10", dated 11/03/2016; Sheet 206, "Erosion Prevention & Sediment Control Plan 11", dated 11/03/2016; Sheet 207, "Erosion Prevention & Sediment Control Plan 11A", dated 11/03/2016; Sheet 208, "Erosion Prevention & Sediment Control Plan 12", dated 11/03/2016; Sheet 209, "Erosion Prevention & Sediment Control Plan 12A", dated 11/03/2016; Sheet 210, "Erosion Prevention & Sediment Control Plan 13", dated 11/03/2016; Sheet 211, "Erosion Prevention & Sediment Control Plan 13A", dated 11/03/2016; Sheet 212, "Erosion Prevention & Sediment Control Plan 14", dated 11/03/2016; Sheet 213, "Erosion Prevention & Sediment Control Plan 15", dated 11/03/2016; Sheet 214, "Erosion Prevention & Sediment Control Plan 16", dated 11/03/2016), and all supporting information.
- All areas of disturbance must have temporary or final stabilization within 7 days of the initial disturbance. After this time, all disturbed soil must be stabilized at the end of each work day. Between October 15 and April 15 all disturbed soil must be stabilized at the end of each work day. The following exceptions apply:
 - Stabilization is not required if work is to continue in the area within the next 24 hours and there is no precipitation forecast for the next 24 hours.
 - Stabilization is not required if the work is occurring in a self-contained excavation (i.e. no outlet) with a depth of 2 feet or greater (e.g. house foundation excavation, utility trenches).
- The total authorized disturbance is 17.80 acre(s).
- No more than 5 acres of land may be disturbed at any one time.

- Inspections shall be conducted at least once every (7) calendar days and within twenty-four (24) hours of the end of a storm event resulting in discharge of stormwater from construction site.
- If there is a discharge of visibly discolored stormwater from the construction site or from the construction site to waters of the State, the permittee shall take immediate corrective action. If, after completing corrective action, there continues to be a discharge of sediment from the construction site to waters of the State, the permittee shall notify DEC by submitting a report within 72 hours of the discharge.
- The On-site Plan Coordinator shall have a copy of the approved EPSC Plan and all amendments available at a central location on-site for the use of all those identified as having responsibilities under this authorization whenever they are on the construction site. If an on-site location is unavailable to store the EPSC Plan when no personnel are present, notice of the EPSC plan's location shall be posted near the main entrance at the construction site.

To request information on this authorization, or to report compliance concerns, please contact:

Vermont DEC, Watershed Management Division
Main Building, Second Floor
One National Life Drive
Montpelier, VT 05620

**Notice of Addition
Of Owners or Operators To Coverage
Under Vermont Construction General Permit 3-9020**



Submission of this completed form constitutes notice that the entity in Section C seeks to be added as a co-permittee to an existing authorization to discharge under Vermont's Stormwater Construction General Permit (CGP) from the project identified in Section A. All landowners and persons who meet the definition of Principal Operator (Subparts 2.1B, 3.1B of the CGP) and who were not included on the original NOI must submit a Notice of Addition form.

Note: A permittee seeking to terminate or transfer permit coverage must use a separate form.

A. Project Information

- 1. Project Name: **Brandon NH 019-3(496) Route 7 Roadway Project**
- 2. Notice of Intent Number: **4164-9020**

B. Original Permittee Information

Town of Brandon
Daryl Burllett
49 Center Street
Brandon, VT 05733
(802) 247-3635
dburllett@townofbrandon.com

C. New Co-Permittee Information

Circle one or both: New Landowner New Principal Operator

- 1. Name: Town of Brandon
- 2. Business Name: Town of Brandon
- 3. Mailing Address: 49
a. Street/PO Box: Center St.
b. City/Town: Brandon VT. c. State: VT. d. Zip: 05733
- 4. Contact Information
a. Phone: 802-247-3635 EXT 11 b. Email: D Burllett @ Town of Brandon. com

D. Request for Addition as Co-Permittee

I hereby request that the entity in Section C be added as co-permittee to the existing authorization to discharge stormwater from construction activities stated in Section A. In requesting co-permittee status, I hereby certify under the penalty of law that I have read, understand, and meet the eligibility conditions of the CGP; that I agree to comply with all applicable terms and conditions of the CGP; that I understand that continued authorization under the CGP is contingent on maintaining eligibility for coverage, and that the applicable practices in the authorized Erosion Prevention and Sediment Control Plan must be implemented and maintained for the duration of the construction activities. I agree to comply with all applicable terms and conditions of the General Permit 3-9020.

Signature: [Handwritten Signature] Date: 12-5-16

Submit Original Form to:
VT DEC, Watershed Management Division
1 National Life Drive, Main 2
Montpelier, VT, 05620-3522